L Númber	Hits	Search Text	DB	Time stamp
1	22	("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:13
•		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	2004/00/00 15.15
		"5333315" or "5317727" or "5131087").pn.	EPO; JPO;	
		0000010 01 0011121 01 0101001 J.pn.	DERWENT:	
			IBM_TDB	
2	6	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:39
_	•	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
	ļ	"5333315" or "5317727" or "5131087").pn. ) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT,	
		record)	IBM TDB	
3	5	((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:14
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB:	
		"5333315" or "5317727" or "5131087").pn. ) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
		record)) and allocat\$5	IBM_TDB	
4	0	(((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:14
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn. ) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
	ļ	record)) and allocat\$5) and mirgrat\$6	IBM_TDB	
5	1	(((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:15
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn. ) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
_		record)) and allocat\$5) and migrat\$6	IBM_TDB	
6	1	((((("20010054133" or "6658417" or "6490722" or "6035306"	USPAT;	2004/06/08 13:15
		or "5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
i		"5333315" or "5317727" or "5131087").pn. ) and acquir\$5	EPO; JPO;	
,		near9 (data or database or file or information or table or	DERWENT;	
_	24	record)) and allocat\$5) and migrat\$6) and storage	IBM_TDB	
7	21	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:15
İ	ĺ	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
	ĺ	"5333315" or "5317727" or "5131087").pn. ) and storage	EPO; JPO;	
l	ĺ		DERWENT;	
	18	//"20010054122" or "6659417" or "6400722" or "6025206" or	IBM_TDB	2004/06/08 13:16
8	10	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or	USPAT; US-PGPUB;	2004/06/06 13:16
	l	"5333315" or "5317727" or "5131087").pn. ) and storage near2	EPO; JPO;	
	l	(device or system or position or unit or control\$6 or apparatus)	DERWENT:	
	ļ	(device of system of position of drift of controls of apparatus)	IBM TDB	
9	14	((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:17
_	• •	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	200-1700/00 10:17
	ŀ	"5333315" or "5317727" or "5131087").pn. ) and storage near2	EPO; JPO;	
		(device or system or position or unit or control\$6 or apparatus)	DERWENT;	
ļ		) and storage near6 (plurality or multiple or number)	IBM_TDB	
10	14	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:17
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
	ļ	"5333315" or "5317727" or "5131087").pn. ) and storage near6	EPO; JPO;	
<b> </b>	ļ	(plurality or multiple or number)	DERWENT:	
	ļ		IBM_TDB	
11	5	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:21
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
	ļ	"5333315" or "5317727" or "5131087").pn. ) and acquir\$5	EPO; JPO;	
1		near2 (data or database or file or information or table or	DERWENT;	
		record)	IBM_TDB	
12	16	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:40
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	1
	l	"5333315" or "5317727" or "5131087").pn. ) and (performance	EPO; JPO;	
	l	or tuning)	DERWENT;	
			IBM_TDB	
13	6	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:35
	l	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn. ) and (conversion	EPO; JPO;	
ļ		or convert\$4 or translat\$5 or interpreter\$6)	DERWENT;	
ı			IBM TDB	I

			<i>'</i>	
14	7	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or	USPAT; US-PGPUB;	2004/06/08 13:26
•		"5333315" or "5317727" or "5131087").pn. ) and parallel\$6	EPO; JPO; DERWENT; IBM TDB	
15	1	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn. ) and parallelism\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:27
16	103730	acquir\$5 near4 (data or database or file or information or table or record)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:33
17	2	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn. ) and schema and index\$5 and (log or logged)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 13:35
18	284	(acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 13:35
19	9	((acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:37
20	3	((acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:36
21	15	((acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same logical same physical same storage	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:37
22	0	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "5333315" or "531727" or "5131087").pn. ) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same logical same	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:37
23	0	physical same storage (("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn. ) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same logical same physical	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:37
24	349	(acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:38
25	8130	(acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:39
26	0	((("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn. ) and parallelism\$6) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39

			<b>.</b>	
27 .	198	((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 13:41
28	159	(((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
29	159	((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near9 (data or database or file or information or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39
30	159	((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39
31	120	(((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance or tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:40
32	43	(((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance and tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42
33	4	((((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance and tuning)) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42
34	86108	(conversion or convert\$4 or translat\$5 or interpreter\$6) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 <sup>1</sup> 3:41
35	1280	( (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
36	814	(((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and storage with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
37	46	((( (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and storage with logical with physical) and (performance and tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42

38 -	15	(((( (conversion or convert\$4 or translat\$5 or interpreter\$6)	USPAT;	2004/06/08 13:43
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
-		interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
	·	logical with physical) and (performance and tuning)) and	DERWENT;	
		(707/\$.ccls. or 717/\$.ccls.)	IBM_TDB	
39	14	((((( (conversion or convert\$4 or translat\$5 or interpreter\$6)	USPAT;	2004/06/08 13:44
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
		interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
		logical with physical) and (performance and tuning)) and	DERWENT;	
		(707/\$.ccls. or 717/\$.ccls.)) and (mapping)	IBM_TDB	
40	15		USPAT;	2004/06/08 13:44
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
		interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
		logical with physical) and (performance and tuning)) and	DERWENT;	
		(707/\$.ccls. or 717/\$.ccls.)) and (mapping or map)	IBM_TDB	
41	15	((((( (conversion or convert\$4 or translat\$5 or interpreter\$6)	USPAT;	2004/06/08 13:44
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
	1	interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
		logical with physical) and (performance and tuning)) and	DERWENT;	-
		(707/\$.ccls. or 717/\$.ccls.)) and (mapp\$4 or map)	IBM TDB	